

## Anhang B.1 – Konfiguration auf dem Server laive.de

### PHP Version 5.4.7

System	Linux webgo24-server15.de 2.6.32-5-amd64 #1 SMP Mon Feb 25 00:26:11 UTC 2013 x86_64
Build Date	Oct 6 2012 15:29:57
Configure Command	<code>'./configure' '--prefix=/usr/share' '--datadir=/usr/share/php' '--bindir=/usr/bin' '--libdir=/usr/share' '--with-config-file-path=/etc' '--with-mysql' '--with-jpeg-dir=/usr' '--with-png-dir=/usr' '--with-xpm-dir=/usr/X11R6' '--with-ldap=yes' '--with-zlib=yes' '--with-bz2' '--with-gmp' '--with-imap=yes' '--with-mcrypt' '--with-gettext' '--enable-bcmath' '--enable-inline-optimization' '--enable-sockets' '--enable-syssem' '--enable-sysvshm' '--enable-shmop' '--enable-calendar' '--enable-exif' '--enable-ftp' '--enable-wddx' '--enable-ctype' '--disable-debug' '--enable-sigchild' '--with-gd' '--with-apxs2=/usr/bin/apxs2' '--with-pgsql=/usr' '--with-snmp' '--with-freetype-dir' '--with-kerberos' '--with-xsl' '--with-ldap-ssl' '--with-openssl-dir' '--enable-mbstring' '--with-curl' '--with-pdo-mysql' '--enable-zip' '--enable-soap' '--with-openssl' '--with-mysqli'</code>
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc
Loaded Configuration File	/etc/php.ini
Scan this dir for additional .ini files	(none)
Additional .ini files parsed	(none)
PHP API	20100412
PHP Extension	20100525
Zend Extension	220100525
Zend Extension Build	API220100525,NTS
PHP Extension Build	API20100525,NTS
Debug Build	no
Thread Safety	disabled
Zend Signal Handling	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	provided by mbstring
IPv6 Support	enabled
DTrace Support	disabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, mcrypt.*, mdecrypt.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk



This program makes use of the Zend Scripting Language Engine:  
 Zend Engine v2.4.0, Copyright (c) 1998-2012 Zend Technologies  
 with the ionCube PHP Loader v4.1.0, Copyright (c) 2002-2012, by ionCube Ltd.

[PHP Credits](#)

**Configuration**

**apache2handler**

Apache Version Apache/2.2.9 (Debian) DAV/2 SVN/1.5.1 PHP/5.4.7 mod\_ssl/2.2.9 OpenSSL/0.9.8g  
 Apache API Version 20051115  
 Server Administrator webmaster@laive.de  
 Hostname:Port laive.de:80  
 User/Group web230(1520)/1520  
 Max Requests Per Child: 1024 - Keep Alive: on - Max Per Connection: 100  
 Timeouts Connection: 300 - Keep-Alive: 2  
 Virtual Server Yes  
 Server Root /etc/apache2

Loaded Modules core mod\_log\_config mod\_logio prefork http\_core mod\_so mod\_headers mod\_dav mod\_dav\_svn mod\_dav\_fs mod\_auth\_digest mod\_authz\_svn mod\_deflate mod\_authz\_groupfile mod\_authn\_file mod\_actions mod\_negotiation mod\_authz\_user mod\_speling mod\_mime\_magic mod\_rewrite mod\_expires mod\_unique\_id mod\_suexec mod\_dir mod\_auth\_basic mod\_autoindex mod\_authz\_host mod\_mime mod\_alias mod\_setenvif mod\_env mod\_php5 mod\_cgi mod\_include mod\_ssl mod\_rpaf-2

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

**Apache Environment**

Variable	Value
SERVER_PORT	80
UNIQUE_ID	UcqkbiUR4A8AAEaysFgAAAAF
gp_rewrite	m32qApR
HTTP_HOST	laive.de
HTTP_USER_AGENT	Mozilla/5.0 (Windows NT 6.1; WOW64; rv:21.0) Gecko/20100101 Firefox/21.0
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_LANGUAGE	de-de;de;q=0.8,en-us;q=0.5,en;q=0.3
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_DNT	1
HTTP_CONNECTION	keep-alive
HTTP_X_FORWARDED_FOR	95.117.142.223

PATH /usr/local/bin:/usr/bin:/bin

SERVER\_SIGNATURE <address>Apache/2.2.9 (Debian) DAV/2 SVN/1.5.1 PHP/5.4.7 mod\_ssl/2.2.9 OpenSSL/0.9.8g Server at laive.de Port 80</address>

SERVER\_SOFTWARE Apache/2.2.9 (Debian) DAV/2 SVN/1.5.1 PHP/5.4.7 mod\_ssl/2.2.9 OpenSSL/0.9.8g

SERVER\_NAME laive.de

SERVER\_ADDR 37.17.224.15

REMOTE\_ADDR 95.117.142.223

DOCUMENT\_ROOT /home/www/live

SERVER\_ADMIN webmaster@laive.de

SCRIPT\_FILENAME /home/www/live/teset7/index.php

REMOTE\_PORT 50973

GATEWAY\_INTERFACE CGI/1.1

SERVER\_PROTOCOL HTTP/1.1

REQUEST\_METHOD GET

QUERY\_STRING check=1

REQUEST\_URI /teset7/?check=1

SCRIPT\_NAME /teset7/index.php

#### HTTP Headers Information

##### HTTP Request Headers

HTTP Request GET /teset7/?check=1 HTTP/1.1

Host laive.de

User-Agent Mozilla/5.0 (Windows NT 6.1; WOW64; rv:21.0) Gecko/20100101 Firefox/21.0

Accept text/html,application/xhtml+xml,application/xml;q=0.9,\*/\*;q=0.8

Accept-Language de-de;q=0.8,en-us;q=0.5,en;q=0.3

Accept-Encoding gzip, deflate

DNT 1

Connection keep-alive

X-Forwarded-For 95.117.142.223

##### HTTP Response Headers

X-Powered-By PHP/5.4.7

#### bcmath

BCMath support enabled

Directive	Local Value	Master Value
bcmath.scale	0	0

#### bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bzip2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.5, 10-Dec-2007

#### calendar

Calendar support enabled

**Core**

PHP Version 5.4.7

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
enable_post_data_reading	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	./logfile.log	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	32759	32767
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/usr/share/extensions/no-debug-non-zts-20100525	/usr/share/extensions/no-debug-non-zts-20100525
file_uploads	On	On
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off

ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/share/php	./usr/share/php
log_errors	On	Off
log_errors_max_len	1024	1024
mail.add_x_header	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	-1	-1
max_input_vars	1000	1000
memory_limit	64M	64M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	0	0
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	50M	50M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	On	On
report_memleaks	On	On
report_zend_debug	On	On
request_order	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	17	17
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	50M	50M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0

xmlrpc_errors	Off	Off
zend.detect_unicode	On	On
zend.enable_gc	On	On
zend.multibyte	Off	Off
zend.script_encoding	<i>no value</i>	<i>no value</i>

**ctype**

ctype functions enabled

**curl**

cURL support	enabled
cURL Information	7.18.2
Age	3
Features	
AsynchDNS	No
Debug	No
GSS-Negotiate	Yes
IDN	Yes
IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	tftp, ftp, telnet, dict, ldap, ldaps, http, file, https, ftps, scp, sftp
Host	i486-pc-linux-gnu
SSL Version	OpenSSL/0.9.8g
ZLib Version	1.2.3.3

**date**

date/time support	enabled
"Olson" Timezone Database Version	2012.3
Timezone Database	internal
Default timezone	Europe/Berlin

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	Europe/Berlin	Europe/Berlin

**dom**

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.6.32
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

**ereg**

Regex Library	Bundled library enabled
---------------	-------------------------

**exif**

EXIF Support	enabled
EXIF Version	1.4 \$Id\$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

**fileinfo**

fileinfo support	enabled
version	1.0.5

**filter**

Input Validation and Filtering	enabled
Revision	\$Id: e523cdc8829892d1b4f9cb7c3c57b2ba1c36b9ea \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

**ftp**

FTP support	enabled
-------------	---------

**gd**

GD Support	enabled
GD Version	bundled (2.0.34 compatible)

FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.1.7
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.27
WBMP Support	enabled
XPM Support	enabled
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

#### gettext

GetText Support	enabled
-----------------	---------

#### gmp

gmp support	enabled
GMP version	4.2.2

#### hash

hash support	enabled
--------------	---------

Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b fnv132 fnv164 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5
-----------------	--

#### iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.7

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

#### imap

IMAP c-Client Version	2001
SSL Support	enabled
Kerberos Support	enabled

#### json



json support	enabled
json version	1.2.1

**ldap**

LDAP Support	enabled
RCS Version	\$Id\$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20411

Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

**libxml**

libXML support	active
libXML Compiled Version	2.6.32
libXML Loaded Version	20632
libXML streams	enabled

**mbstring**

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled
libmbfl version	1.3.2

**mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.**

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/ application/xhtml\+xml)	^(text/ application/xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

## mcrypt

**mcrypt support** enabled

**mcrypt\_filter support** enabled

Version 2.5.7

Api No 20021217

Supported ciphers cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes

Supported modes cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

## mysql

**MySQL Support** enabled

Active Persistent Links 0

Active Links 0

Client API version mysqlnd 5.0.10 - 20111026 - \$Id: b0b3b15c693b7f6aeb3aa66b646fee339f175e39 \$

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	Off	Off
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

## mysqli

**Mysqli Support** enabled

Client API library version mysqlnd 5.0.10 - 20111026 - \$Id: b0b3b15c693b7f6aeb3aa66b646fee339f175e39 \$

Active Persistent Links 0

Inactive Persistent Links 0

Active Links 0

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306

mysql.default_pw	<i>no value</i>	<i>no value</i>
mysql.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.reconnect	Off	Off

### mysqlnd

**mysqlnd**      **enabled**

Version	mysqlnd 5.0.10 - 20111026 - \$Id: b0b3b15c693b7f6aeb3aa66b646fee339f175e39 \$	
Compression	supported	
SSL	supported	
Command buffer size	4096	
Read buffer size	32768	
Read timeout	31536000	
Collecting statistics	Yes	
Collecting memory statistics	No	
Tracing	n/a	
Loaded plugins	mysqlnd,example,debug_trace,auth_plugin_mysql_native_password,auth_plugin_mysql_clear_password	
API Extensions	pdo_mysql,mysqli,mysql	

### mysqlnd statistics

bytes_sent	187448
bytes_received	550396
packets_sent	3014
packets_received	14614
protocol_overhead_in	58456
protocol_overhead_out	12056
bytes_received_ok_packet	0
bytes_received_eof_packet	0
bytes_received_rset_header_packet	11790
bytes_received_rset_field_meta_packet	0
bytes_received_rset_row_packet	11770
bytes_received_prepare_response_packet	321625
bytes_received_change_user_packet	198037
packets_sent_command	1499
packets_received_ok	0
packets_received_eof	0

packets_received_rset_header	1310
packets_received_rset_field_meta	0
packets_received_rset_row	1491
packets_received_prepare_response	4537
packets_received_change_user	7260
result_set_queries	1310
non_result_set_queries	181
no_index_used	190
bad_index_used	0
slow_queries	0
buffered_sets	1310
unbuffered_sets	0
ps_buffered_sets	0
ps_unbuffered_sets	0
flushed_normal_sets	0
flushed_ps_sets	0
ps_prepared_never_executed	0
ps_prepared_once_executed	0
rows_fetched_from_server_normal	5950
rows_fetched_from_server_ps	0
rows_buffered_from_client_normal	5950
rows_buffered_from_client_ps	0
rows_fetched_from_client_normal_buffered	5950
rows_fetched_from_client_normal_unbuffered	0
rows_fetched_from_client_ps_buffered	0
rows_fetched_from_client_ps_unbuffered	0
rows_fetched_from_client_ps_cursor	0
rows_affected_normal	67
rows_affected_ps	0
rows_skipped_normal	5950
rows_skipped_ps	0
copy_on_write_saved	683
copy_on_write_performed	12940
command_buffer_too_small	0
connect_success	8
connect_failure	0
connection_reused	0
reconnect	0
pconnect_success	0
active_connections	18446744073709551608
active_persistent_connections	0
explicit_close	8

implicit_close	0
disconnect_close	0
in_middle_of_command_close	0
explicit_free_result	1310
implicit_free_result	0
explicit_stmt_close	0
implicit_stmt_close	0
mem_emalloc_count	0
mem_emalloc_amount	0
mem_ecalloc_count	0
mem_ecalloc_amount	0
mem_erealloc_count	0
mem_erealloc_amount	0
mem_efree_count	0
mem_efree_amount	0
mem_malloc_count	0
mem_malloc_amount	0
mem_calloc_count	0
mem_calloc_amount	0
mem_realloc_count	0
mem_realloc_amount	0
mem_free_count	0
mem_free_amount	0
mem_strndup_count	0
mem_strndup_count	0
mem_estndup_count	0
mem_strdup_count	0
proto_text_fetched_null	0
proto_text_fetched_bit	0
proto_text_fetched_tinyint	423
proto_text_fetched_short	32
proto_text_fetched_int24	16
proto_text_fetched_int	0
proto_text_fetched_bigint	1627
proto_text_fetched_decimal	0
proto_text_fetched_float	0
proto_text_fetched_double	0
proto_text_fetched_date	0
proto_text_fetched_year	0
proto_text_fetched_time	0
proto_text_fetched_datetime	0
proto_text_fetched_timestamp	0

proto_text_fetched_string	6601
proto_text_fetched_blob	4874
proto_text_fetched_enum	0
proto_text_fetched_set	0
proto_text_fetched_geometry	0
proto_text_fetched_other	0
proto_binary_fetched_null	0
proto_binary_fetched_bit	0
proto_binary_fetched_tinyint	0
proto_binary_fetched_short	0
proto_binary_fetched_int24	0
proto_binary_fetched_int	0
proto_binary_fetched_bigint	0
proto_binary_fetched_decimal	0
proto_binary_fetched_float	0
proto_binary_fetched_double	0
proto_binary_fetched_date	0
proto_binary_fetched_year	0
proto_binary_fetched_time	0
proto_binary_fetched_datetime	0
proto_binary_fetched_timestamp	0
proto_binary_fetched_string	0
proto_binary_fetched_blob	0
proto_binary_fetched_enum	0
proto_binary_fetched_set	0
proto_binary_fetched_geometry	0
proto_binary_fetched_other	0
init_command_executed_count	0
init_command_failed_count	0
com_quit	8
com_init_db	0
com_query	1491
com_field_list	0
com_create_db	0
com_drop_db	0
com_refresh	0
com_shutdown	0
com_statistics	0
com_process_info	0
com_connect	0
com_process_kill	0
com_debug	0

com_ping	0
com_time	0
com_delayed_insert	0
com_change_user	0
com_binlog_dump	0
com_table_dump	0
com_connect_out	0
com_register_slave	0
com_stmt_prepare	0
com_stmt_execute	0
com_stmt_send_long_data	0
com_stmt_close	0
com_stmt_reset	0
com_stmt_set_option	0
com_stmt_fetch	0
com_daemon	0
bytes_received_real_data_normal	155342
bytes_received_real_data_ps	0

**example statistics**

stat1	0
stat2	0

**openssl**

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 0.9.8g 19 Oct 2007
OpenSSL Header Version	OpenSSL 0.9.8g 19 Oct 2007

**pcre**

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.12 2011-01-15

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

**PDO**

<b>PDO support</b>	<b>enabled</b>
PDO drivers	mysql, sqlite

**pdo\_mysql**

<b>PDO Driver for MySQL</b>	<b>enabled</b>
Client API version	mysqlnd 5.0.10 - 20111026 - \$Id: b0b3b15c693b7f6aeb3aa66b646fee339f175e39 \$

Directive	Local Value	Master Value
-----------	-------------	--------------

pdo\_mysql.default\_socket /var/run/mysqld/mysqld.sock /var/run/mysqld/mysqld.sock

#### pdo\_sqlite

**PDO Driver for SQLite 3.x**

**enabled**

SQLite Library

3.7.7.1

#### pgsql

**PostgreSQL Support** **enabled**

PostgreSQL(libpq) Version 8.3.17

PostgreSQL(libpq) PostgreSQL 8.3.17 on i486-pc-linux-gnu, compiled by GCC gcc-4.3.real (Debian 4.3.2-1.1) 4.3.2

Multibyte character support enabled

SSL support enabled

Active Persistent Links 0

Active Links 0

#### Directive

#### Local Value

#### Master Value

pgsql.allow\_persistent

On

On

pgsql.auto\_reset\_persistent

Off

Off

pgsql.ignore\_notice

Off

Off

pgsql.log\_notice

Off

Off

pgsql.max\_links

Unlimited

Unlimited

pgsql.max\_persistent

Unlimited

Unlimited

#### Phar

**Phar: PHP Archive support** **enabled**

Phar EXT version 2.0.1

Phar API version 1.1.1

SVN revision \$Id: cc7eac717db60fe3deade794d4ae082fe97279ed \$

Phar-based phar archives enabled

Tar-based phar archives enabled

ZIP-based phar archives enabled

gzip compression enabled

bzip2 compression enabled

Native OpenSSL support enabled

Phar based on pear/PHP\_Archive, original concept by Davey Shafik.

Phar fully realized by Gregory Beaver and Marcus Boerger.

Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

#### Directive

#### Local Value

#### Master Value

phar.cache\_list

*no value*

*no value*

phar.readonly

On

On

phar.require\_hash

On

On



## posix

Revision \$Id: 967584c6fadb3467f31abe8e13caa8764df85867 \$

## Reflection

**Reflection** enabled

Version \$Id: 7c9981924ded1ad2023fb1d5c3d1a8f290632f5c \$

## session

Session Support enabled  
Registered save handlers files user  
Registered serializer handlers php php\_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	/dev/urandom	/dev/urandom
session.entropy_length	32	32
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/tmp	/tmp
session.serialize_handler	php	php
session.upload_progress.cleanup	On	On
session.upload_progress.enabled	On	On
session.upload_progress.freq	1%	1%
session.upload_progress.min_freq	1	1
session.upload_progress.name	PHP_SESSION_UPLOAD_PROGRESS	PHP_SESSION_UPLOAD_PROGRESS
session.upload_progress.prefix	upload_progress_	upload_progress_
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

## shmop

shmop support enabled

### SimpleXML

**Simplexml support** enabled

Revision \$Id: 5514f0fc897197ca9a199fb93b8b5d9135ad711a \$

Schema support enabled

### snmp

NET-SNMP Support enabled

NET-SNMP Version 5.4.1

PHP SNMP Version 0.1

### soap

Soap Client enabled

Soap Server enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

### sockets

Sockets Support enabled

### SPL

**SPL support** enabled

Interfaces Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject

AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

### sqlite3

**SQLite3 support** enabled

SQLite3 module version 0.7

SQLite Library 3.7.7.1

Directive	Local Value	Master Value
sqlite3.extension_dir	no value	no value

### standard

Dynamic Library Support enabled  
Path to sendmail /usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	<i>no value</i>	<i>no value</i>
url_rewriter.tags	a=href,area=href,frame=src,form=,fieldset=	a=href,area=href,frame=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

#### tokenizer

Tokenizer Support enabled

#### wddx

WDDX Support enabled

WDDX Session Serializer enabled

#### xml

XML Support active

XML Namespace Support active

libxml2 Version 2.6.32

#### xmlreader

XMLReader enabled

#### xmlwriter

XMLWriter enabled

#### xsl

XSL enabled

libxslt Version 1.1.24

libxslt compiled against libxml Version 2.6.32

EXSLT enabled

libexslt Version 1.1.24

#### zip

Zip enabled

Extension Version \$Id: 74f868b5c3320a31af332207df35d4ff525cba1e \$

Zip version 1.11.0

Libzip version 0.10.1

#### zlib

<b>ZLib Support</b>	<b>enabled</b>
Stream Wrapper	compress.zlib://
Stream Filter	zlib.inflate, zlib.deflate
Compiled Version	1.2.3.3
Linked Version	1.2.3.3

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

### Additional Modules

#### Module Name

ionCube Loader  
sysvsem  
sysvshm

### Environment

<b>Variable</b>	<b>Value</b>
PATH	/usr/local/bin:/usr/bin:/bin
PWD	/home
LANG	C
SHLVL	1
_	/usr/sbin/apache2

### PHP Variables

<b>Variable</b>	<b>Value</b>
_REQUEST["check"]	1
_GET["check"]	1
_SERVER["SERVER_PORT"]	80
_SERVER["UNIQUE_ID"]	UcqkbiUR4A8AAEaysFgAAAAF
_SERVER["gp_rewrite"]	m32qApR
_SERVER["HTTP_HOST"]	laive.de
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows NT 6.1; WOW64; rv:21.0) Gecko/20100101 Firefox/21.0
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_LANGUAGE"]	de-de,de;q=0.8,en-us;q=0.5,en;q=0.3
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_DNT"]	1
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["HTTP_X_FORWARDED_FOR"]	95.117.142.223
_SERVER["PATH"]	/usr/local/bin:/usr/bin:/bin
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.2.9 (Debian) DAV/2 SVN/1.5.1 PHP/5.4.7 mod_ssl/2.2.9 OpenSSL/0.9.8g Server at laive.de Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.9 (Debian) DAV/2 SVN/1.5.1 PHP/5.4.7 mod_ssl/2.2.9

```
OpenSSL/0.9.8g
_SERVER["SERVER_NAME"]      laive.de
_SERVER["SERVER_ADDR"]      37.17.224.15
_SERVER["REMOTE_ADDR"]     95.117.142.223
_SERVER["DOCUMENT_ROOT"]   /home/www/live
_SERVER["SERVER_ADMIN"]    webmaster@laive.de
_SERVER["SCRIPT_FILENAME"] /home/www/live/teset7/index.php
_SERVER["REMOTE_PORT"]     50973
_SERVER["GATEWAY_INTERFACE"] CGI/1.1
_SERVER["SERVER_PROTOCOL"] HTTP/1.1
_SERVER["REQUEST_METHOD"]  GET
_SERVER["QUERY_STRING"]    check=1
_SERVER["REQUEST_URI"]     /teset7/?check=1
_SERVER["SCRIPT_NAME"]     /teset7/index.php
_SERVER["PHP_SELF"]        /teset7/index.php
_SERVER["REQUEST_TIME_FLOAT"] 1372234862.342
_SERVER["REQUEST_TIME"]    1372234862

_SERVER["argv"]            Array
                          (
                            [0] => check=1
                          )
_SERVER["argc"]            1
_ENV["PATH"]               /usr/local/bin:/usr/bin:/bin
_ENV["PWD"]                /home
_ENV["LANG"]               C
_ENV["SHLVL"]              1
_ENV["_"]                  /usr/sbin/apache2
```